



β-Carotene Capsule Analyzed with HPLC - AppNote

Separation from Matrix Peaks

Click <u>HERE</u> for Column Ordering Information.

Beta-carotene may be taken as a dietary supplement in capsule form. In this case, a wide variety of Matrix Peaks were observed in the chromatographic data. It is possible that some of these peaks are various isomers of all-trans \(\mathcal{B}\)-carotene or other similar carotenes. In any case, resolution was obtained from the other Matrix Peaks, which allows for accurate quantitation of \(\mathcal{B}\)-carotene in the capsule.





Peak:

ß-Carotene

Method Conditions

Column: Cogent Phenyl Hydride™, 4µm, 100Å

Catalog No.: 69020-7.5P

Dimensions: 4.6 x 75 mm

Mobile Phase:

A: DI Water / 0.1% Formic Acid (v/v)
B: Acetonitrile / 0.1% Formic Acid (v/v)

Gradient:

| Time (minutes) | %B |
|-------------------|----|
| 0 | 70 |
| 1 | 70 |
| 6 | 90 |
| 9 | 60 |
| 10 | 70 |

Post Time: 3 minutes Injection vol.: 10µL

Flow rate: 1.0 mL / minute Detection: UV @ 452 nm

Sample Preparation: A Beta-carotene capsule was opened and the contents were transferred to a 25mL volumetric flask containing a portion of Methanol. The solution was sonicated 15 minutes and diluted to mark with Methanol. After mixing, a portion was filtered with a 0.45µm Nylon Syringe Filter (MicroSolv Tech Corp.).

to: 0.9 minutes

Note: Beta-carotene is found in many fruits and vegetables. It is responsible for the orange color in carrots, pumpkins, sweet potatoes, and others. In terms of nutrition, Beta-carotene is a metabolic precursor to Vitamin A.



Attachment

No 269 B-Carotene Capsule pdf 0.3 Mb Download File

Printed from the Chrom Resource Center
Copyright 2025, All Rights Apply
MicroSolv Technology Corporation
9158 Industrial Blvd. NE, Leland, NC 28451

Tel: (732) 380-8900 Fax: (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com